	QOF EXCEPTION CODES			NHS	NHS
1a	v25.4 JUNE 2013			Herefordshire	
	new indicators & codes in red		Clin	ical Commissioning Group Commissioning Su	affordshire
"PER	SISTING" exceptions - permanent				
	CHD			COPD	
003	Adverse reaction to statin	U60CA	007		
	Adverse reaction to simvastatin	TJC24		EPILEPSY	
	Adverse reaction to pravastatin	TJC25		Epilepsy resolved 212J or	21260
004	Adverse reaction to flu vaccine	U60K4		MENTAL HEALTH	
	Flu vaccine allergy	14LJ	002-7	7 Schizophrenia in remission	E1005
	Personal h/o allergy to flu vacc	ZV14F		Hebephrenia - in remission	E1015
005	Salicylates cause adverse effect	U6051		Catatonia - in remission	E1025
	Adverse reaction to salicylates	TJ53		Paranoid schizo in remission	E1035
	Aspirin allergy	14LK		Latent schizo in remission	E1055
	Personal h/o aspirin allergy	ZV148		Schizo-affective - in remission	E1075
	Warfarin - adverse reaction	U6042		Single manic epis - full remiss.	E1106
	Adverse reaction to warfarin	TJ421		Recur.manic epis full remiss	E1116
	Adverse reaction to nicoumalone	TJ422		Manic bipol. affect. full remiss	E1146
	Adverse reaction to phenindione	TJ423		[X]Bipol affect dis remission	Eu317
	Adv reaction to anticoagulants NOS	TJ42z		Mixed bipol. affect. full remiss	E1166
	Warfarin allergy	14LP		Unsp. bipol. affect. full remiss	E1176
	Personal h/o allergy to warfarin	ZV14A		[X]Single depressive episode, remiss	Eu329
	Adverse reaction to clopidogrel	U6048		[X]Recurrent depress episode, remiss	Eu32A
	Clopidogrel allergy	14LQ		[X]Nonorganic psychosis in remission	
000	Personal h/o allergy clopidogrel	ZV14B	005	[X]Paranoid state in remission	Eu223
006	Adverse reaction to ACEI	U60C4	005	J	8IEG
	ACEI allergy	14LM ZV14D	009	Stopped lithium ASTHMA	665B
	Personal h/o allergy to ACEI Adverse reaction to A2 blocker	U60CB		Asthma resolved 212G or	21262
	A2 blocker allergy	14LN	_	DEPRESSION 212G 01	21202
	Personal h/o allergy to A2 blocker	ZV14E		Depression resolved	212S
	Adverse reaction to captopril	TJC77		CHRONIC KIDNEY DISEASE	2123
	Adverse reaction to enalapril	TJC78	003	Hypertension resolved 212K or	21261
	Adverse reaction to ramipril	TJC79	000	Proteinuria 21210 or	R110
	Adverse reaction to clopidogrel	U6048		also brown codes re ACEI & ARB for C	
	Clopidogrel allergy	14LQ		ATRIAL FIBRILLATION	
	Personal h/o allergy to clopidogrel	ZV14B		Atrial fibrillation resolved	212R
	Adverse reaction to beta blocker	U60B7	003		
	Adverse reaction to beta blockers	TJC6%		H/O: dipyridamole allergy	14LX
	Beta blocker allergy	14LL		Adverse reaction to dipyridamole	TJC44
	Personal history of allergy to beta bloc	kZV14C		[X]Coronary vasodilators adv effect	U60C3
	[X] Adverse reaction to bisoprolol	U60B9	004	see AF003 plus purple in CHD005	
	[X] Adverse reaction to carvedilol	U60BA		PAD	
	[X] Adverse reaction to nebivolol	U60BB	003	see CHD003, 004 see CHD005	
	[X] Personal h/o allergy to bisoprolol	ZVu6i		OSTEOPOROSIS	
	[X] Personal h/o allergy to carvedilol	ZVu6o		3 Bone sparing agent c/i: 14LT 8I6R ZV1	
	[X] Personal h/o allergy to nebivolol	ZVu6q	14Lb	14LW ZV14H 14LT3 14LT4 14Lc 14L	T2 14LT0
	plus green codes re statins for CHD00			CVD - PRIMARY PREVENTION	
	plus purple codes re warfarin for CHD0		001	see CHD003	
<u> </u>	plus aspirin codes (orange background) CHD005			"EXPIRING" exceptions - enter annual	ıy
000	HEART FAILURE	06 above		CHD	01-04
	Brown codes re ACEI & ARB for CHD0			CHD, patient unsuitable	9h01
004	see pink codes re beta blockers for CH STROKE	סטטעו	000	CHD, informed dissent	9h02
005		LIDO04	002	BP procedure refused Maximal tol BP treatment	8I3Y 8BL0
005	see CHD003, 007 see AF003, 006 see CHYPERTENSION	HD004	000		8BL0 8BL1
		21261	003	Statin not tolerated	8BL1 8I76
	Hypertension resolved 212K or DIABETES	Z 1 Z O 1		Statin not tolerated Statin declined	8176 813C
	Diabetes resolved 212H or	21263		Statin declined Statins not indicated	8163
004	see CHD003, 006 see CHD003, 010 see			Statins not indicated Statins contra-indicated	8I27
004	See Chiboos, Too See Chiboos, Tit See	CHD004		Statins Contra-Mulcated	0121

1b	"EVDIDING" exceptions for CHD (cont)				CUD (comt)	
					CHD (cont)	
004		68NE			Nebivolol not tolerated	817M
	Flu vaccine declined	9OX51			Bisoprolol therapy refused	8IAS
	Flu vaccine not indicated	816D0			Carvedilol therapy refused	8IAT
	Flu vaccine contraindicated	8I2F0			Nebivolol therapy refused	8IAV
005	Warfarin contraindicated	8125			plus green codes re statins for CHD003	
	Warfarin declined	8I3E			MI, informed dissent	9hM0
	Warfarin not indicated	8165			MI, patient unsuitable	9hM1
	Warfarin not tolerated	8171			HEART FAILURE	
	Dabigatrin contraindicated	8I2o			HF, patient unsuitable	9hH0
	Dabigatran declined	8IES			HF, informed dissent	9hH0
	Dabigatran not indicated	81611			Echocardiogram declined	56F1
	Dabigatran not tolerated	8I7R			Angiocardiography declined	5534
	Aspirin not tolerated	8170			see CHD006	
	Advice about taking aspirin	67I8			STROKE	
	Anticoagulant prescribed by 3rd party	8B2K			Stroke, patient unsuitable	9h21
	Aspirin contraindicated	8124			Stroke, informed dissent	9h22
	Aspirin refused	8138		002	MRI scan declined	5695
	Aspirin not indicated	8166			CT scan brain declined	56F0
	Aspirin OTC	8B3T			Maximal tol BP treatment	8BL0
	Salicylate prophylaxis	8B63	(see CHD003, 006 see CHD004, 007 see A	F003
	Aspirin advised to patient	67I8			HYPERTENSION	
	Clopidogrel contraindicated	8I2K			Hypertension, patient unsuitable	9h31
	Clopidogrel declined	8I3R			Hypertension, informed dissent	9h32
	Clopidogrel not indicated	816B	0		BP procedure refused	8I3Y
	Clopidogrel not tolerated	8172			Maximal tol BP treatment	8BL0
	Clopidogrel prophylaxis	8B6P		005	Brief intervention for physical activity	8IAv
	Anticoagulation contraindicated	8I2R			declined	
	Anticoagulation declined	813d			DIABETES	
	Anticoagulation not indicated	816N			Diabetes, patient unsuitable	9h41
	Anticoagulation not tolerated	817A			Diabetes, informed dissent	9h42
006		8128			Maximal tol BP treatment	8BL0
	ACEI refused	8I3D			same as CHD003	
	ACEI not indicated	8164			Maximal tol anti-diabetic treatment	8BL2
	ACEI not tolerated	8174	(006	same as CHD003	
	A2 blocker contraindicated	8I2H			same as CHD004	
	A2 blocker refused	8I3P			Diab ret screening not indicated	816F
	A2 blocker not indicated	816C			Diabetic retinopathy screening refused	8I3X
	A2 blocker not tolerated	8175			Diabetic pt unsuitable for dig ret photo	9OLD
	Clopidogrel contraindicated	8I2K			Declined diabetic retinopathy screening	
	Clopidogrel declined	8I3R	(O/E - Amputated right leg	2G42
	Clopidogrel not indicated	816B			O/E - Amputated right above knee	2G44
	Clopidogrel not tolerated	8172			O/E - Amputated right below knee	2G46
	Clopidogrel prophylaxis	8B6P			O/E - Amputated left leg	2G43
	Anticoagulation contraindicated	812R			O/E - Amputated left above knee	2G45
	Anticoagulation declined	8I3d			O/E - Amputated left below knee	2G47
	Anticoagulation not indicated	816N			Foot pulse check declined	8IAo
	Anticoagulation not tolerated	817A			Patient unsuitable for foot pulse check	8IB6
	plus warfarin codes in purple for CHD0				Neuropathy assessment declined	8IAn
	plus aspirin codes (orange background				Pt unsuitable for neuropathy assess	8IB5
	Beta blocker contraindicated	8126			Diabetic foot examination not indicated	816G
	Beta blocker refused	8136			Diabetic foot screen declined	8I3W
	Beta blocker not tolerated	8173			Diabetic dietary review declined	8IAs
	Beta blocker not indicated	8162	(Diabetes structured education	9OLM
	Bisoprolol contraindicated	8l2g			prog declined	
	Carvedilol contraindicated	8l2h			COPD nations unavitable	0654
	Nebivolol contraindicated	812i			COPD, patient unsuitable	9h51
	Bisoprolol not indicated	816i			COPD, informed dissent	9h52
	Carvedilol not indicated	816j	(Spirometry test declined	8l3b
	Nebivolol not indicated	816k			Spirometry not indicated	816L
	Bisoprolol not tolerated Carvedilol not tolerated	817K			Spirometry contraindicated	812j
	Carveunoi not tolerateu	817L			Unable to perform spirometry	33720

2a COPD (cont.)				ATRIAL FIBRILLATION	
006 same as CHD004	4			AF, patient unsuitable	9hF0
EPILEPSY	-			AF, informed dissent	9hF1
Epilepsy, patien	t unsuitable	9h61	003		
Epilepsy, inform		9h62		Dipyridamole contraindicated	8I2b
	ounsell not indicated	8IB2		Dipyridamole declined	8l3n
<u> </u>	ounselling declined	8IAg		Dipyridamole not indicated	816a
-	advice not indicated	8IB3		Dipyridamole not tolerated	817J
Pre-conception	advice declined	8IAh		Dabigatrin contraindicated	8I2o
Pregnancy advice	e not indicated	8IB4		Dabigatran declined	8IES
Pregnancy advice		8IAi		Dabigatran not indicated	81611
CONTRACEPTIO	N (was SEXUAL HEAL	ГН)		Dabigatran not tolerated	817R
Sexual Health, p	atient unsuitable	9hK0	004	same as AF 6 but also purple codes	
Sexual Health, in	nformed dissent	9hK1		for warfarin in CHD005 and:	
HYPOTHYROIDI	SM			Anticoagulation contraindicated	8I2R
Hypothyroidism	, patient unsuitable	9h71		Anticoagulation declined	813d
	, informed dissent	9h72		Anticoagulation not indicated	816N
CANCER				Anticoagulation not tolerated	8I7A
Cancer, patient		9h81		LEARNING DISABILITY	
Cancer, informe		9h82	002	LD, patient unsuitable	9hL0
MENTAL HEALT				LD, informed dissent	9hL1
· -	atient unsuitable	9h91		SMOKING	
Mental Health, ir		9h92		Smoking, patient unsuitable	9hG0
003 BP procedure re		8I3Y		Smoking, informed dissent	9hG1
	ady diabetic C10E% &		004-5	Smoking cessation advice declined	8IAj
	es resolved 21263 or	212H		Declined consent f/u smok cess team	9Ndg
	ention for excessive	8IAt		Smoking cessation programme declined	
alcohol consum	-	0147		Smoking cessation drug Rx declined	8IEM
	p'n screening decl'd	8IA7		PAD	01-00
	gn hysterectomy	685H		PAD, patient unsuitable	9hS0
Ca cervix screer		6853	000	PAD, informed dissent	9hS1
Cervical smear r		685L 8I6K			
Cervical sinear i		908Q		same as CHD003 same as CHD005	
ASTHMA	iaiiilei leceiveu	908Q	004	OSTEOPOROSIS	
Asthma, patient	unguitahla	9hA1		Osteoporosis, patient unsuitable	9hP0
Asthma, informe		9hA2		Osteoporosis, informed dissent	9hP1
Refuses asthma		90J2	002-3	Bone sparing agent C/I: 8I3e 8I7E 8I2V	8l6p
002 Spirometry test	_	8l3b		8IEH 8I2I 8I6q 8I7Q 8IED 8I2m 8I3h 8I6V	817H
Spirometry not i		816L		8I2V3 8I3e3 8I6R3 8I7E3 8I2V2 8I3e2	816R2
Spirometry cont		8I2j		8I2V0 8I3e0 8I6R0 8I7E0 8I2V4 8I3e4	8I6R4
Unable to perfor		33720		8I2p 8IEW 8I612 8I7S	
004 Refusal to give s		137k		RHEUMATOID ARHRITIS	
DEMENTIA	<u>-</u>			Rheumatoid arthritis, pt unsuitable	9hR0
Dementia, patier	nt unsuitable	9hD0		Rheumatoid arthritis, informed dissent	9hR1
Dementia, inforr		9hD1 😇	003	QRISK2 CVD risk assess declined	8IEV
003 Blood glucose to	est declined	8IEG		Unsuitable for QRISK2 CVD risk assess	
DEPRESSION			004	Osteoporosis risk assessment refused	9OdB
Depression, pati		9hC0		Osteoporosis risk assess defaulted	9OdC
Depression, info		9hC1		CVD - PRIMARY PREVENTION	
	l assess't declined	8IET		CVD - PP patient unsuitable	9hJ0
	ychosocial asses't	9NSA		CVD - PP informed dissent	9hJ1
CHRONIC KIDNE		01 50	001	QRISK2 CVD risk assess declined	8IEV
CKD, patient uns		9hE0		Unsuitable for QRISK2 CVD risk asses	9NSB
CKD, informed o		9hE1		QRISK CVD risk assessment declined	8IEL
	ntihypertensive Rx	8BL0		CVD risk assessment declined	9Oh9
003 same as CHD000	•			CVD high risk review declined	8IAK
,	NUC	NHS		plus green codes re statins for CHD003	apove
Herefore				days ioffony@pha.net	
	Clinical Commission in a Crown Staffordshire			dave.jeffery@nhs.net	
Cimical Commissioning Group Commissioning Support Unit					

2b

Codes to include in black, codes to exception report in red

HYPERTENSION 004 % pts with HT aged 16 to 75 in whom there is an annual assessment of physical activity, using GPPAQ, in the last 12 months For GPPAQ see: www.patient.co.uk/doctor/GPPAQ index: active-GPPAQ index: active GPPAQ index: inactive GPPAQ index: moderately active GPPAQ index: moderately inactive		DEPRESSION 001 % of pts with a new diagnosis of depression in the preceding 1 April to 31 March who have had a biopsychosocial assessment by the point of diagnosis. The completion of the assessment is to be recorded on the same day as the diagnosis Biopsychosocial assessment 38G5 Biopsychosocial assess't declined 8IET Unsuit for biopsychosocial asses't 9NSA
005 % pts with HT aged 16 to 75 who score 'less than active' on GPPAQ in the last 12 months, who also have a record of a brief intervention in the last 12 months Brief intervention for physical activity completed Brief intervention for physical activity declined	90q3 8IAv	002 % pts with a new diagnosis of depression in the preceding 1 April to 31 March, in the target population, who have been reviewed not earlier than 10 days and not later than 35 days after the date of diagnosis Depression medication review 9H91 Depression interim review 9H92
DIABETES 013 % pts with diabetes with a record of a dietary review by a suitably competent professional in the preceding 12 months Diabetic dietary review	66At 66At0	RHEUMATOID ARHRITIS 001 register of patients aged 16 and over with rheumatoid arthritis N040% N041 N042% N047 N04X N04y0 N04y2 Nyu11 Nyu12 Nyu1G Nyu10
Type I diabetic dietary review Type II diabetic dietary review Diabetic dietary review declined	66At1 8IAs	002 % pt with rheumatoid arthritis who have had a face-to-face annual review in the preceding 12 months Rheumatoid arthritis annual review 66HB0
014 % pts newly diagnosed with diabetes in the preceding 1 April to 31 March who have a record of being referred to a structured education programme within 9 months after entry on to the diabetes register Ref to DAFNE DM struc'd ed prog Ref to DESMOND DM struc'd ed prog Ref to XPERT DM struc'd ed prog Diabetes structured education	8Hj3 8Hj4 8Hj5 9OLM	003 % pts with RA aged 30 to 85 who have had a cardiovascular risk assessment using a CVD risk assessment tool adjusted for RA in the last 12 months QRISK2 CVD disease 10 yr risk score 38DP QRISK2 CVD risk assess declined 8IEV Unsuitable for QRISK2 CVD risk assess 9NSB For details of QRISK2 see www.qrisk.org/
prog declined	SOLIVI	004 % pts aged 50 to 91 with RA who have had an assessment of fracture risk
015 % of male patients with diabetes with a record of being asked about erectile dysfunction in the preceding 12 months Complains of erectile dysfunction Does not C/O erectile dysfunction	1D1B 1ABJ	using a risk assessment tool adjusted for RA in the preceding 24 months WHO FRAX 10 y hip # prob score 38DB WHO FRAX 10y OP # prob score 38DC QFracture risk calculator 38GR Osteoporosis risk assessment refused 9OdB
016 % of male patients with diabetes who have a record of erectile dysfunction with a record of advice and assess-		Osteoporosis risk assess defaulted 90dC For FRAX score see www.shef.ac.uk/FRAX/tool.aspx For Qfracture see www.qfracture.org/
ment of contributory factors and treatment options in last 12 months		dave.jeffery@nhs.net
Complains of erectile dysfunction Diabetic assessment of ED	1D1B 66Av	Herefordshire Clinical Commissioning Group Commissioning Support Unit